



Republic of the Philippines
WESTERN MINDANAO STATE UNIVERSITY
Zamboanga City
Telephone No.: 062-991-7875
www.wmsu.edu.ph

INVITATION TO BID

The Western Mindanao State University, through its Bids and Awards Committee (BAC), is inviting PhilGEPS registered suppliers to apply for eligibility and to submit bids for the item mentioned hereunder:

- 1.) 1 Unit **Theodolite Transit**
Specification:
 - * Telescope with 26x magnification
 - * Rating of IP-66 against dust and water
 - * Single backlit LCD display
 - * Operating Time with Laser: at least 45 hours
 - * Accuracy: 9 seconds
 - * Horizontal and Vertical measurements
 - * Laser point range: 165
 - * Optical plummet
 - * Bubble level
 - * Operating Temp. - 200C - 500C
 - * To includes:
 - ~ Theodolite with laser printer
 - ~ Plumb bob
 - ~ Tool Kit
 - ~ Lint free cloth
 - ~ Waterproof protective cover
 - ~ Hand carrying case
- 2.) 5 Units **Abney Hand Level**
Specification:
 - * 5-1/4" long with radius arc
 - * graduated 0 to 90 degrees in both direction
 - * vernier reading to 10 minutes
 - * percent of grade scale from 0% to 100%
 - * with complete cordura belt loop case
- 3.) 1 Set **Canopy Imager**
Specification:
 - * Lens: Equidistant wide-angle lens
 - * Fish-eye lens Angle: 150
 - * Image Resolution: 8 megapixels
 - * Interface: 7" capacitive touchscreen
 - * Keypad: 6 button, trigger-release capture
 - * Measuring time: 0.5 second
 - * Operating Temperature: 5C to 50C
- 4.) 1 Unit **Digital Electronic Precision Balance**
Specification:

- * Capacity: 20 mg - 200g
 - * Accuracy: 0.001g / 1mg
 - * Repeatability Error: -/+0.002g/2mg
 - * Non-Linear Error: -/+0.002g/2mg
 - * Pan Size: at least 90mm
 - * Power: 220V, 60Hz
- 5.) 2 Units **Laser Dendrometer**
 Specification:
 * BAF measurement range: 1 to 127ft 2/acre (0.2 to 39.0 m2/hectare). Diameter accuracy: ±1/4" up to 80' (±6 mm up to 24m). Diameter measurement range: 2" to 100" (5cm to 254cm). Inclination accuracy: ±0.1° typical. Inclination measurement range: ±90° Height Measurement resolution: 0.1' (3cm). Optics: Normal, 1x; magnified, 2.4x. Data communications: serial RS 232 input/output. Operating temperature: -22°F to 140°F (-30°C to 60°C). Power: 2AA or or 1 CRV3; 3.0V DC nominal (included). Dimensions: 2.75"W 2"D x 6.5"L. Weight: 1.1 lbs
- 6.) 2 Units **Altimeter**
 Specification:
 * Height and slopes measurements are made simple with these six scales: Required Scales Baseline Distance Measuring Range 1 chain=66'66'-27 to +144' 15 15 ft., yds., or m -6 to +26ft., yds., or m 20 20 ft., or m -8 to +34ft., yds., or m 25 25 ft., yds., or m -10 to +43ft., yds., or m 30 30 ft., yds., or -12 to +52 ft., yds. or m percent any distance in ft., -40 to +150% of baseline yds., or m distance.
- 7.) 1 Unit **Water Flow Probes**
 Specification:
 * Range: 0.3-19.9 FPS (0.1 to 6.1 MPS)
 * Accuracy: Average velocity ±0.1 FPS
 * Averaging: Digital running average
 * Display: LCD
 * Operating Temp: 4F to 158F (-20C to 70C)
 * Sensor Type: Protected Turbo-Prop Propeller with electromagnetic pick-up
 * Probe size: Expand from 3ft to 6ft or 5ft to 15ft
 * Sensor Housing: 2" in dia x 3" length
 * Made of PVC handle and propeller housing Anodized Aluminum Shaft, stainless steel bearing.

The criteria to be used for the eligibility check of the prospective bidders, examination and evaluation of bids, post-qualification and all matters relevant to this procurement shall be in accordance with Republic Act. No. 9184 (The Government Procurement Reform Act) and its Implementing Rules and Regulations.

Interested bidders may obtain further information from WMSU BAC Secretariat regarding the checklist of eligibility and technical requirements.

IMPORTANT NOTICE FOR BIDDERS:

1. Bidding papers may be acquired starting February 24 until March 18, 2022 from the BAC Office or download from website (www.wmsu.edu.ph). The WESTERN MINDANAO STATE UNIVERSITY shall allow the bidder to present its proof of payment for the Bidding Documents fees before the submission of their bids, pursuant to the latest Guidelines issued by the GPPB, in the amount of One Thousand Pesos (Php.1,000.00). (Please attached the machine copy of the Official Receipt)
2. All bidders' are required to post a Bid Security, at least Two (2%) Percent of the ABC in the form of Cash, Cashier's Check or Manager's Check or may submit Bid Securing Declaration. Bids without Bid Security will not be considered.
3. The Bidder shall prepare an original of the Eligibility Documents & Technical Components and original of Financial Proposal and clearly mark each "ORIGINAL – ELIGIBILITY DOCUMENTS and TECHNICAL COMPONENTS", and "ORIGINAL – FINANCIAL PROPOSAL", respectively. Bidders shall submit one (1) set of the first and second components of its bid. State the unit price of each item and the total bid price and also state the shortest time of delivery and submit your quotation duly signed by your representative in a sealed envelope.
4. Pre-Bid Conference will be on **March 4, 2022, 2:00 PM** at BAC Office, WMSU, Ground Floor Executive Building, Zamboanga City and/or through video conferencing or webcasting via Zoom, which shall be open to prospective bidders.
5. Bid Submission will be on or before **March 18, 2022 at 10:00 A.M.** through **Manual Submission**.
6. Bid opening shall be on **March 18, 2022 at 10:00 A.M.** at BAC Office, Ground Floor Executive Building, WMSU, Zamboanga City, Philippines, 7000. Bids will be opened in the presence of the Bidders representatives who choose to attend at the address above. Late bids shall not be accepted.
7. Price validity shall be for a period of 120 calendar days.
8. Bidders shall submit original brochures showing certifications of the product being offered.
9. Warranty shall be for a period of Six (6) months for supplies and materials. One (1) year for equipment, from date of acceptance by WESTERN MINDANAO STATE UNIVERSITY.
10. Bids received in excess of the ABC shall be automatically rejected at Bid Opening.

The WESTERN MINDANAO STATE UNIVERSITY reserves the right to reject any or all Bids and to accept the bid most advantageous to the government, and to award the contract by lot, if warranted.