



Republic of the Philippines
WESTERN MINDANAO STATE UNIVERSITY
Zamboanga City
Telephone No.: 062-991-7875
www.wmsu.edu.ph

INVITATION TO BID

The Western Mindanao State University, through its Bids and Awards Committee (BAC), is inviting PhilGEPS registered suppliers to apply for eligibility and to submit bids for the item mentioned hereunder:

- | | | | |
|-----|---|-------|--|
| 1.) | 1 | Piece | <p>2GB DDR2 Memory (Desktop)
Specifications:
* Type: DDR2 SDRAM
* Capacity: 2GB
* Memory Speed: 667 MHz
* Memory Specification Compliance PC2-5300
* Form Factor DIMM 240-pin
* RAM Features: unbuffered
* Data Integrity Check: Non-ECC</p> |
| 2.) | 1 | Piece | <p>2GB DDR2 Memory (Laptop)
Specifications:
* Technology: DDR2 SDRAM
* RAM Features: unbuffered
* Form Factor SODIMM 200-pin
* Memory Speed (MHz): 800 mHz
* Capacity: 2GB
* Memory Specification Compliance PC2-6400
* Data Integrity Check: Non-ECC
* CAS latency timings: CL5
* Supply Voltage: 1.8v</p> |
| 3.) | 1 | Piece | <p>4GB DDR3 Memory (Desktop)
Specifications:
* Type: DDR3
* Memory Size: 4GB
* Memory Voltage: 1.5V
* Memory Frequency: PC3-8500 1066MHz
* Interface Type: 204 pin</p> |
| 4.) | 1 | Piece | <p>2GB DR2 Memory (Laptop)
Specifications:
* RAM Features: unbuffered
* Technology: DDR2 SDRAM
* Form Factor SODIMM 200-pin
* Memory Speed (MHz): 800 mHz
* Capacity: 2GB</p> |

- * Memory Specification Compliance PC2-6400
- * Data Integrity Check: Non-ECC
- * CAS latency timings: CL5
- * Supply Voltage: 1.8v

- | | | | |
|------|-----|--------|---|
| 5.) | 100 | Pieces | <p>Blank CD-R</p> <ul style="list-style-type: none"> * 700 mb storage capacity |
| 6.) | 100 | Pieces | <p>Blank DVD-R</p> <ul style="list-style-type: none"> * 4.7GB storage capacity |
| 7.) | 2 | Pieces | <p>CAT5e UTP Cable</p> <p>Specifications:</p> <ul style="list-style-type: none"> * at least 305 meters long/boc * CAT5e UTP cable, twisted pair solid PE * heavy duty * package: pull box |
| 8.) | 1 | Box | <p>CAT56 UTP Cable</p> <p>Specifications:</p> <ul style="list-style-type: none"> * at least 305 meters long/boc * package: pull box * CAT6 UTP Network Cable * Heavy duty/Good Quality |
| 9.) | 10 | Pieces | <p>CMOS Battery (desktop)</p> |
| 10.) | 5 | Pieces | <p>Computer Keyboard</p> <p>Specifications:</p> <ul style="list-style-type: none"> * Connectivity technology: wired * Connector type: USB * Durable keys * Heavy duty |
| 11.) | 5 | Pieces | <p>Computer Mouse</p> <p>Specifications:</p> <ul style="list-style-type: none"> * Mouse type: optical wired * Connector type: USB * 4 buttons, 2x double click * Heavy duty |
| 12.) | 2 | Pieces | <p>DVI to VGA Adapter</p> <p>Specifications:</p> <ul style="list-style-type: none"> * VGA female to DVI male adapter compatible with flat panel displays, digital CRT displays, projectors and HDTV * Supports hot plugging of DVI display devices * Heavy duty |
| 13.) | 1 | Unit | <p>External DVD Drive</p> <p>Specifications:</p> <ul style="list-style-type: none"> * White speed: at least 2x CD-R, 8x DVD-ROM * Read speed: at least 2x CD-R, 8x DVD-ROM |

- * Memory Cache: 4M
- * Preferred color: Black
- * Interface: USB 2.0
- * Heavy duty

14.) 2 Boxes

Fingerprint Scanner

Specifications:

- * Connection USB 2.0
- * Resolution: at least 512 dpi
- * Image capture are (platen size): at least 14.6mm x 18mm
- * Sensor type: optical
- * Illumination Blue LEDs
- * Device size: 65 x 36 x 16mm
- * Operating temperature: 0 to 40 degree celsius
- * Operating humidity: 20-80% (non-condensing)
- * Works with dry, moist or rough fingerprints
- * Heavy duty

15.) 3 Boxes

Flash Disk 8GB

Specifications:

- * Capacity: 8GB
- * Heavy duty

16.) 1 Pieces

HDMI Cable

Specifications:

DVI to VGA Adapter

- * Supports Ethernet, 3D and audio return
- * Meets HDMI 1.4 specifications; shielded to defend against interference
- * Cable length: at least 20 meters
- * Heavy duty

17.) 6 Pieces

Horizontal Cable Manager

Specifications:

- * Dimensions: 19" x 1.75" x 1.75"
- * Brackets accommodate 19" patch panels
- * Accepts 10/24 or 12/32 screws
- * Mounts on any standard 19" rack or wall mount
- * Weight: 2 lbs. or lighter
- * Preferably in black powder coated finish
- * Heavy duty

18.) 1 Set

Keyboard and Mouse PS2 Combo

Specifications:

Type: keyboard and mouse

- * Compatible with desktop and laptop
- * Resolution: 400 CPI precision optical
- * USB - PS/2 connector
- * Good quality

19.) 1 Unit

KVM Switch

Specifications:

- * One USB K&M console controls eight (8) computers
- * 4 USB 2.0 for keyboard, mouse, printer, flash drive, etc.
- * Support wireless K&M combo
- * Multiple OS support - Windows XP, 7, 8, 10, Mac, linux and Sun
- * With 2m wire remote switcher, press key to select PC
- * Superior video quality-up to 1920 x 1440; DDC2B
- * USB powered
- * Heavy duty

20.) 2 Pieces

LAN Card

Specifications:

- * PCI network adapter
- * Network link/activity and 10/100 Mbps LED indicators
- * RJ45 Ethernet port
- * Bus type PCV PCIx (5/3.3V)

21.) 10 Units

Network Switch (8 ports)

Specifications:

- * Ports: 16 10/100 Mbps Auto-negotiation RJ45
- * Supports Auto MDI/MDIX
- * With energy-saving power technology
- * Heavy duty

22.) 10 Units

Network Switch (8 ports)

- * Ports: 8 10/100 Mbps Auto-Negotiation RJ45 ports
- * Supports Auto MDI/MDIX
- * With energy-saving power technology
- * Plastic case, desktop design
- * Reliable data transfer
- * Plug and play, no configuration required
- * Heavy duty

23.) 20 Boxes

RJ45 Connector

Specifications:

- * RJ45 Standard Modular Connectors
- * 50 micron gold plating
- * 100 pcs/box
- * Good quality

24.) 10 Boxes

SATA Data Cable

Specifications:

- * Model: SATA 2.0
- * Compatibility: SATA 1.0, 2.0
- * Wire gauge: 26AWG
- * Transfer rate: 3GBPS
- * Type: straight/right angle connector
- * Cable jacket material: PVC
- * Color: Red
- * Heavy duty/Good Quality

25.) 10 Pieces

SATA Power Cable

Specifications:

- * Cable jacket type: PVD - Polyvinyl chloride
- * Compatible with both 2.5' and 3.5" serial ATA hard drives
- * Heavy duty/Good Quality

26.)	1	Piece	<p>USB Extension Cable</p> <p>Specifications:</p> <ul style="list-style-type: none"> * USB 1/2.0 connectors: male to female * Extends the distance of a USB device by at least 10 meters * Heavy duty
27.)	15	Sets	<p>Wireless USB Adapter</p> <p>Specifications:</p> <ul style="list-style-type: none"> * 20 Mhz/40mhz baandwidth * Supports Ad-Hoc and infrastructure modes * Automatically detect network status and transmission rate * Supports 64/128bit WEP, WPA-PSK/WPS2-PSK and WPA/WAP2 encrypted methods * Supports: IEEE 802.1.1g, IEEE 802.1.1b, IEEE 802.1.1n standards * USB 2.0 * Heavy duty
28.)	1	Unit	<p>Video Card</p> <ul style="list-style-type: none"> * Memory Amount 2048MB * Memory Interface 128 bit * DRAM Type DDR3 * Maximum Digital Resolution 2560x1600 * Maximum VGA Resolution 2048x1536 * Graphics Card Power 49W * Minimum Recommended System Power 300W
29.)	2	Pieces	<p>Wireless Keyboard and Mouse</p> <p>Specifications:</p> <ul style="list-style-type: none"> * Wireless keyboard * Wireless mouse * Wireless protocol: 2.4G * Connection interface: USB Receiver * Battery for Mouse: 1 AA Alkaline * Battery for keyboard: 2 AAA Alkaline * With USB Extension Cable
30.)	2	Sets	<p>Wireless Network Access Point</p> <p>Specifications:</p> <ul style="list-style-type: none"> * Wireless connectivity with at least 300 Mbps wireless speed * Wireless repeater - extends network coverage of at least 20-meter radius * Secure wireless connection * Wireless technology or higher * Antenna type internal 2* 3dBi Omni * Heavy duty
31.)	1	Box	<p>Flask Disk 64GB</p> <p>Specifications:</p>

- * Capacity: 64GB
- * Heavy duty

32.) 3 Units

Anti-Static Wrist Strap

Specifications:

- * Material: ABS synthetic rubber
- * Wristband: metal wrist ring stainless steel elastic band
- * Electrostatic discharge time: <0.1 sec
- * Cable length: adjustable
- * Heavy duty

33.) 1 Unit

Computer Electric CPU Blower

Specifications:

- * CPU Blower-vacuum (2-in-1) for computer
- * Power Source: AC
- * Heavy duty

34.) 2 Sets

Computer Keyboard Sweep Dust Brush

- * Multi-purpose computer keyboard sweep dust brush

35.) 5 Pieces

Thermal Paste

Specifications:

- * Thermal heatsink compound grease/paste for CPU, VGA, GPU
- * Syringe-type packaging
- * at least 15 units of 1 gram

36.) 1 Set

Digital LCD Computer Power Supply Tester 20/24 Pin

Specifications:

- * Supports 24pin ATX 20pin interface
- * Support SATA interface
- * Support 8pin 4pin interface
- * Support PCI-E graphics 6pin interface
- * Support the floppy disk interface
- * Support ATE hard disk interface
- * Test Voltage: 3.3V, -12V, 12V1, 12V2, +5 VSB, +5V and PG time
- * Housing materials: plastic
- * Portable
- * Heavy duty

37.) 3 Sets

Laptop Repair Tool Set

Specifications:

- * Opening Repair Pry Tool LCD Screen Suction Cup Spudger Kit Set
- * Includes the following:
 - at least 1 transparent universal suction cup (35mm)
 - at least 1 high quality metal scraper spudger (120mm)
 - at least 1 high quality metal spudge tool set (170mm)
 - at least 1 big dual side plastic opening pry tool (125mm)
 - at least 1 dual side flat and probe plastic spudger tool (150mm)
 - at least 1 metal stainless thin soft blade dual side pry pick (120mm)
 - at least 2 metal eject pin (35mm)
 - at least 2 universal plastic powerful grip suction cup (56mm)

- at least 5 big light blue plastic triangular open tool (30mm)
- * Heavy duty

38.)	3	Sets	<p>Professional Network Computer Maintenance Repair Kit</p> <p>Specifications:</p> <ul style="list-style-type: none"> * Repair kit includes the following: <ul style="list-style-type: none"> - at least 1 3-in-1 network pliers - at least 1 network tester - at least 20 pieces RJ45 network crystal head - at least 20 pieces RJ45 network crystal head protective sleeve - at least 1 324B wire cutter - at least 1 first pair of contract network through - at least 1 network tee head - at least 1 yellow wire stripping knife - at least 1 accessories ties 100 dedicated * Good quality * With bag
39.)	3	Sets	<p>Printer Ink</p> <ul style="list-style-type: none"> * HP Officejet Pro 276DW Compatible Set (cyan, yellow, magenta, Black)
40.)	12	Bottles	<p>T664 CIS Ink (Black)</p> <p>Epson CIS Printer (T664 Series)</p>
41.)	12	Bottles	<p>T664 CIS Ink (Cyan)</p> <p>Epson CIS Printer (T664 Series)</p>
42.)	12	Bottles	<p>T664 CIS Ink (Magenta)</p> <p>Epson CIS Printer (T664 Series)</p>
43.)	12	Sets	<p>T664 CIS Ink (Yellow)</p> <p>Epson CIS Printer (T664 Series)</p>

The criteria to be used for the eligibility check of the prospective bidders, examination and evaluation of bids, post-qualification and all matters relevant to this procurement shall be in accordance with Republic Act. No. 9184 (The Government Procurement Reform Act) and its Implementing Rules and Regulations.

Interested bidders may obtain further information from WMSU BAC Secretariat regarding the checklist of eligibility and technical requirements.

IMPORTANT NOTICE FOR BIDDERS:

1. Bidding papers shall be available upon payment of a non-refundable fee of **Five Hundred Pesos Only (Php.500.00)**. Eligible bidders that will download the bidding paper from the PhilGEPS website shall pay the said fee before the submission of their bids. (Please attached the Xerox copy of the Official Receipt)

2. All bidders' are required to post a Bid Security, at least Two (2%) Percent of the ABC in the form of Cash, Cashier's Check or Manager's Check or may submit Bid Securing Declaration. Bids without Bid Security will not be considered.
3. The Bidder shall prepare an original of the Eligibility Documents, Technical Proposal, Financial Proposal and clearly mark each "ORIGINAL – ELIGIBILITY DOCUMENTS", "ORIGINAL - TECHNICAL PROPOSAL", and "ORIGINAL – FINANCIAL PROPOSAL", respectively. Bidders shall submit three (3) copies of each bidding documents- "Original", Copy 1", and Copy 2". State the unit price of each item and the total bid price and also state the shortest time of delivery and submit your quotation duly signed by your representative in a sealed envelope.
4. Bid opening shall be on **May 23, 2019** at 10:00 A.M. at BAC Office, Ground Floor Executive Building, WMSU, Zamboanga City, Philippines, 7000. Bids will be opened in the presence of the Bidders representatives who choose to attend at the address above. Late bids shall not be accepted.
5. Price validity shall be for a period of 120 calendar days.
6. Bidders shall submit original brochures showing certifications of the product being offered.
7. Warranty shall be for a period of Six (6) months for supplies and materials. One (1) year for equipment, from date of acceptance by WESTERN MINDANAO STATE UNIVERSITY.
8. Bids received in excess of the ABC shall be automatically rejected at Bid Opening.

The WESTERN MINDANAO STATE UNIVERSITY reserves the right to reject any or all Bids and to accept the bid most advantageous to the government, and to award the contract by lot, if warranted.